

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

4. Message Structure for: IE932

IE932	(CD932C)	COMMON RD DATA	(C_REF_DAT)
MESSAGE			1x R
--RESULTS OF CONTROL			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--AMENDMENT REJECTION MOTIVATION			99999x O TR1015
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--AAR/AER REJECTION REASON			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--ATR REJECTION REASON			99999x O TR1002
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--CONTROL RESULT CODE			99999x O TR1012
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--COUNTRY			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--COUNTRY REGIME			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--CUSTOMS OFFICE GEO INFO			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--CURRENCY CODE			99999x O TR1012
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--DISCREPANCIES SOLVED NOTIFICATION			99999x O TR1002
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--DIVERSION REJECTION REASON			99999x O TR1012
-----LANGUAGE SPECIFIC DATA			99x R
-----ACTION			1x R
--DOCUMENT TYPE			99999x O TR1015
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--GUARANTEE TYPE			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--GUARANTEE MONITORING			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--INVALID GUARANTEE REASON			99999x O TR1002
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--LANGUAGE CODE			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--PACKAGING CODE			99999x O TR1015
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R
--ROLE			99999x O
-----ACTION			1x R
-----LANGUAGE SPECIFIC DATA			99x R

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

---SENSITIVE GOODS CODE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIAL MENTION CODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---STATISTICS TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRAFFIC TYPE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS OPERATION STATE TYPE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UNIT OF MEASURE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN/LOCODE	99999x	O	
-----ACTION	1x	R	
---TRANSPORT MODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---QUERY ON GUARANTEE TYPE	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC NOTES CODE	99999x	O	
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---COMPLEMENTARY CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXPORT QUERY REASON CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INCOTERM CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---NATURE OF TRANSACTION CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCEDURE REQUESTED	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REPRESENTATIVE STATUS CODE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---RISK ANALYSIS RESULT CODE	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---SPECIFIC CIRCUMSTANCE INDICATOR	99999x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUMMARY DECLARATION REJECTION REASON CODE	99999x	O	TR1013
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

---TYPE OF TAX	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---WAREHOUSE TYPE	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---UN DANGEROUS GOODS CODE	99999x	O	TR1015
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---COMMUNITY NATIONAL PROCEDURE	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PREVIOUS DOCUMENT CATEGORY	99999x	O	TR1003
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---METHOD OF PAYMENT	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---TRANSPORT CHARGES METHOD OF PAYMENT	99999x	O	TR1015
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---DECLARATION TYPE (BOX 1.2)	99999x	O	TR1003
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION	99999x	O	TR1002
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---PREVIOUS DOCUMENT TYPE	99999x	O	TR1012
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---REQUESTED INFORMATION	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ITEM NUMBER REJECTION REASON CODE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---CUSTOMS INTERVENTION	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---INFORMATION TYPE	99999x	O	TR1006
-----ACTION	1x	R	
-----LANGUAGE SPECIFIC DATA	99x	R	
---RESPONSE CODE	99999x	O	TR1002
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EORI-AEO VAT MS COUNTRY CODE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ECONOMIC SECTOR OF ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TYPE OF PERSON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---AEO CERTIFICATE TYPE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----ACTION	1x	R	
---EORI-AEO ERROR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERIA	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CUSTOMS PROCEDURE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REJECTION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---SUSPENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REVOCATION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---INITIATOR	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---ACTIVITY	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---PROCESS	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---TIMER	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---STATE	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---EXTENSION REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---CRITERION RESULT	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	
---REASSESSMENT REASON	99999x	O	TR1005
-----LANGUAGE SPECIFIC DATA	99x	R	
-----ACTION	1x	R	

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---RESULTS OF CONTROL

Control indicator	R	an2	41	
-------------------	---	-----	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---AMENDMENT REJECTION MOTIVATION

Amendment rejection motivation code	R	n1	45	
-------------------------------------	---	----	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---AAR/AER REJECTION REASON

AAR/AER rejection reason code	R	n..2	43	
-------------------------------	---	------	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---ATR REJECTION REASON

ATR rejection reason code	R	n..2	44	
---------------------------	---	------	----	--

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---CONTROL RESULT CODE

Control result code	R	an2	47	
---------------------	---	-----	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---COUNTRY

Country code	R	a2	8	
TCC entry date	R	n8		
NCTS entry date	R	n8		
Geo-nomenclature code	O	n3	16	
Country regime code	R	an3	11	

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---COUNTRY REGIME

Country regime code	R	an3	11	
---------------------	---	-----	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---CUSTOMS OFFICE GEO INFO

Geo info code	R	an..6	15	
---------------	---	-------	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---CURRENCY CODE

Currency	R	an3	48	
Rate value	R	n..8,6		

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---DISCREPANCIES SOLVED NOTIFICATION

Discrepancies solved notification code	R	an..2	69	
--	---	-------	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---DIVERSION REJECTION REASON

Diversion rejection reason code	R	n..2	46	
---------------------------------	---	------	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---DOCUMENT TYPE				
Document type	R	an..4	13	
Transport document	R	n1	27	R230
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
---GUARANTEE TYPE				
Guarantee type	R	an1	51	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---GUARANTEE MONITORING				
Guarantee monitoring code	R	n1	50	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---INVALID GUARANTEE REASON				
Invalid guarantee reason code	R	an..3	52	
-----ACTION				
Operation	R	a1	24	R410

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---LANGUAGE CODE				
Language code	R	a2	12	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---PACKAGING CODE				
Kind of packages	R	an..3	17	R456
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---ROLE				
Role	R	an..3	56	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---SENSITIVE GOODS CODE				
Commodity code (taric code)	R	an..6	62	R445

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Sensitive goods code	O	n..2	64	R445
Reference quantity	O	n..6		
Unit of measure code	O	an..3	59	
EEC territory limitation	R	n1	27	R230
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---SPECIAL MENTION CODE				
Additional information coded	R	an..5	39	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---STATISTICS TYPE				
Statistics type	R	an..4	57	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---TRAFFIC TYPE				
Traffic type	R	an..3	20	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---CUSTOMS OPERATION STATE TYPE

Customs Operation State Types	R	an..3	58	
-------------------------------	---	-------	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---UNIT OF MEASURE

Unit of measure code	R	an..3	59	
----------------------	---	-------	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---UN/LOCODE

Country code	R	a2	8	
UN/LOCODE id	R	a3		R460
UN/LOCODE name	R	an..29		R422

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---TRANSPORT MODE

Transport mode	R	n..2	18	
----------------	---	------	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---QUERY ON GUARANTEE TYPE

Query identifier	R	n1	54	
------------------	---	----	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---SPECIFIC NOTES CODE

Specific notes code	R	an..6	67	
---------------------	---	-------	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

---COMPLEMENTARY CODE

Complementary code	R	n1	86	
--------------------	---	----	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---EXPORT QUERY REASON CODE

Export_Query Reason Code	R	an..3	89	
--------------------------	---	-------	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
-----------	---	----	----	------

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---INCOTERM CODE				
Incoterm Code	R	a3	90	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---NATURE OF TRANSACTION CODE				
Nature of transaction code	R	n..2	91	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---PROCEDURE REQUESTED				
Procedure requested	R	an2	92	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---PREVIOUS PROCEDURE				
Previous Procedure	R	an2	93	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---REPRESENTATIVE STATUS CODE

Representative status code	R	n1	94	
----------------------------	---	----	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---RISK ANALYSIS RESULT CODE

Risk Analysis result code	R	an1	95	
---------------------------	---	-----	----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---SPECIFIC CIRCUMSTANCE INDICATOR

Specific Circumstance Indicator	R	a1	96	
---------------------------------	---	----	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---SUMMARY DECLARATION REJECTION REASON CODE

Summary Declaration rejection reason code	R	n..2	97	
---	---	------	----	--

-----ACTION

Operation	R	a1	24	R410
-----------	---	----	----	------

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---TYPE OF TAX				
Type of tax	R	an3	98	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---WAREHOUSE TYPE				
Warehouse type	R	a1	99	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---UN DANGEROUS GOODS CODE				
UN dangerous goods code	R	an4	101	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---COMMUNITY NATIONAL PROCEDURE				
Community / National Procedure	R	an3	102	

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---PREVIOUS DOCUMENT CATEGORY

Previous Document Category	R	a1	103	
----------------------------	---	----	-----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---METHOD OF PAYMENT

Method of payment	R	a1	104	
-------------------	---	----	-----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---TRANSPORT CHARGES METHOD OF PAYMENT

Transport charges/ Method of Payment	R	a1	116	
--------------------------------------	---	----	-----	--

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

---DECLARATION TYPE

Type of declaration R an..9 31

-----ACTION

Operation R a1 24 R410

Validity date D n8 C300
R410

Modification subtype D n1 C300
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

-----LANGUAGE SPECIFIC DATA

Language code R a2 12

Description R an..140

Language specific data LNG O a2 12 TR0099

---DECLARATION TYPE (BOX 1.2)

Type of declaration (Box 1.2) R a1 87

-----ACTION

Operation R a1 24 R410

Validity date D n8 C300
R410

Modification subtype D n1 C300
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

-----LANGUAGE SPECIFIC DATA

Language code R a2 12

Description R an..140

Language specific data LNG O a2 12 TR0099

---INFORMATION

Information Code R n2 119

-----ACTION

Operation R a1 24 R410

Validity date D n8 C300
R410

Modification subtype D n1 C300
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

-----LANGUAGE SPECIFIC DATA

Language code R a2 12

Description R an..140

Language specific data LNG O a2 12 TR0099

---PREVIOUS DOCUMENT TYPE

Previous document type R an..6 14

-----ACTION

Operation R a1 24 R410

Validity date D n8 C300
R410

Modification subtype D n1 C300
R410

Legal references O an..70

Responsible data manager O an..35

Action identification R an..20 TR9001

-----LANGUAGE SPECIFIC DATA

Language code R a2 12

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---REQUESTED INFORMATION				
Requested Information Code	R	n1	118	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---ITEM NUMBER REJECTION REASON CODE				
Item number rejection reason code	R	n..2	106	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---CUSTOMS INTERVENTION				
Customs Intervention code	R	an..4	108	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099
---INFORMATION TYPE				
Information type	R	n..2	109	
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

---RESPONSE CODE

Response Code	R	n..2	29	
---------------	---	------	----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..140		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---EORI-AEO VAT MS COUNTRY CODE

VAT MS country code	R	a2	113	
---------------------	---	----	-----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---ECONOMIC SECTOR OF ACTIVITY

Economic sector of activity code	R	an..4	114	
----------------------------------	---	-------	-----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---TYPE OF PERSON

Type of person code	R	n1	115	
---------------------	---	----	-----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
-----------	---	----	----	------

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---AEO CERTIFICATE TYPE				
AEO certificate type code	R	an4	120	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---EORI-AEO ERROR				
EORI-AEO Error code	R	an..50	121	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---CRITERIA				
Criteria code	R	an..3	122	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---CUSTOMS PROCEDURE				
Customs procedure code	R	an..5	123	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---REJECTION REASON

Rejection reason code	R	an1	124	
-----------------------	---	-----	-----	--

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---SUSPENSION REASON

Suspension reason code	R	an1	125	
Light client excluded	R	n1	27	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---REVOCATION REASON

Revocation reason code	R	an1	126	
Light client excluded	R	n1	27	

-----LANGUAGE SPECIFIC DATA

Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099

-----ACTION

Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001

---INITIATOR

Initiator code	R	an1	127	
----------------	---	-----	-----	--

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Light client excluded	R	n1	27	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---ACTIVITY				
Activity code	R	an1	128	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---PROCESS				
Process code	R	an1	129	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---TIMER				
Timer code	R	an1	130	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Action identification	R	an..20		TR9001
---STATE				
State code	R	an1	131	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---EXTENSION REASON				
Extension reason code	R	an2	132	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---CRITERION RESULT				
Criterion result code	R	n1	133	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410
Legal references	O	an..70		
Responsible data manager	O	an..35		
Action identification	R	an..20		TR9001
---REASSESSMENT REASON				
Reassessment reason code	R	n1	134	
-----LANGUAGE SPECIFIC DATA				
Language code	R	a2	12	
Description	R	an..350		
Language specific data LNG	O	a2	12	TR0099
-----ACTION				
Operation	R	a1	24	R410
Validity date	D	n8		C300 R410
Modification subtype	D	n1		C300 R410

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE932	

Legal references	O	an..70	
Responsible data manager	O	an..35	
Action identification	R	an..20	TR9001

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE971	

4. Message Structure for: IE971

IE971	(CD971B)	FULL UNAVAILABILITY SCHEDULE	(C_UNA_DAT)
-------	----------	------------------------------	-------------

MESSAGE	1x	R	
---COUNTRY	99x	O	
-----ACTION	9x	R	
-----SYSTEM UNAVAILABILITY	99x	R	TR0704

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
4. Message Structure for: IE971	

MESSAGE

Message sender	R	an..35		
Message recipient	R	an..35		
Date of preparation	R	n6		
Time of preparation	R	n4		
Priority	O	a1		
Test indicator	O	n1	27	TR9085
Message identification	R	an..14		
Message type	R	an..6	60	
Correlation identifier	D	an..14		TR9181

---COUNTRY

Country code	R	a2	8	
--------------	---	----	---	--

-----ACTION

Operation	R	a1	24	
-----------	---	----	----	--

-----SYSTEM UNAVAILABILITY

Business functionality	R	a1	68	
Downtime from	R	n12		R660 TR0703 TR9020
System unavailability type	R	a1	79	TR0702
Downtime to	D	n12		C400 R660 TR0703 TR9020
Explanation	O	an..350		
Explanation LNG	O	a2	12	TR0099

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

5. Rules/Conditions index

- C017 IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '1' or '8'
THEN the attribute = 'R'
IF 'IMPORT OPERATION.Transport mode at border (box 25)' = '4'
THEN the attribute can not be used
ELSE the attribute = 'O'
- C019 IF 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present or if 'IMPORT OPERATION.Transport mode at border (box 25)' = '4'
THEN the data group can not be used
ELSE
IF 'IMPORT OPERATION.Specific circumstance indicator' is = 'A'
THEN the data group = 'O'
ELSE the data group = 'R'
- C020 IF 'IMPORT OPERATION. 'Transport mode at border (box 25)' = '2', '5', '7' or '9'
THEN 'Nationality crossing border (ex. box 21)' = 'O'
ELSE 'Nationality crossing border (ex. box 21)' = 'R'
- C024 IF 'IMPORT OPERATION.Transport mode at border (box 25)' is '3' and if 'IMPORT OPERATION.Identity Crossing Border (box 21)' is present
THEN the attribute = 'R'
ELSE the attribute can not be used
- C062 IF 'Kind of packages' (Box 31) indicates 'BULK' (UNECE rec 21 : 'VQ', 'VG', 'VL', 'VY', 'VR', 'VS' or 'VO')
THEN
'Number of packages' (box 31) can not be used
'Number of Pieces' (box 31) can not be used
'Marks & numbers of Packages (Box 31)' = 'O'
ELSE
IF 'Kind of packages' (Box 31) indicates 'UNPACKED' (UNECE rec 21 : = 'NE', 'NF' or 'NG')
THEN
'Number of packages' can not be used
'Number of Pieces' (box 31) = 'R'
'Marks & numbers of Packages (Box 31)' = 'O'
ELSE
'Number of packages' (box 31) = 'R'
'Number of Pieces' (box 31) can not be used
IF the attribute 'Specific circumstance indicator' is not used
THEN
the attribute 'Marks & numbers of Packages (Box 31)' = 'R'
ELSE
the attribute 'Marks & numbers of Packages (Box 31)' = 'O'
- C295 If 'Variable Holiday Date' = '1'
THEN 'Year'='R'
ELSE 'Year' can not be used (it will be automatically updated on 01/01 each year to be the current year)
- C300 IF "Operation" = "C" OR "U"
THEN All attributes marked with this condition = "R"
ELSE All attributes marked with this condition = "O"
- C305 IF 'AAR-/AER-/Summary Declaration rejection reason code/Pre-Arrival item rejection reason code' = '4' (other)
THEN 'AAR/AER/Summary Declaration rejection reason' = 'R'
ELSE 'AAR/AER/Summary Declaration rejection reason' = 'O'
- C310 IF 'Amendment rejection motivation code' = '?' (other) *
THEN 'Amendment rejection motivation text' = 'R'
ELSE 'Amendment rejection motivation text' = 'O'
* (To be defined at national level).
- C400 IF 'Type' = 'S' (Scheduled)
THEN 'Downtime TO' = 'R'
ELSE 'Downtime TO' = 'O'
- C410 IF <<'Geo-info code' contains "/" (I.e. the Customs Office is situated at the frontier)>> THEN
Attribute 'Nearest office'="R"
ELSE
Attribute 'Nearest office' can not be used.
- C501 IF the attribute 'TIN' is present in the data group
THEN this attribute cannot be used
ELSE this attribute = 'R'
- C502 IF 'Transport mode at border' = '1', '4' or '8'
THEN the attribute = 'R'
ELSE the attribute = 'O'
- C511 IF only one Trader Consignor is declared for all goods items
THEN the data group 'Trader Consignor (box 2)' on IMPORT OPERATION level is used
ELSE the data group 'Trader Consignor (ex box 2)' on GOODS ITEM level is used

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- C513 IF 'Specific circumstance indicator = 'A'
THEN the attribute 'Transport mode at the border' (box 25)' 7' and '9' can not be used,

IF 'Specific circumstance indicator = 'C'
THEN the attribute 'Transport mode at the border' (box 25)' 1', '2', '4', '7', '8' and '9'
can not be used
IF 'Specific circumstance indicator = 'D'
THEN the attribute 'Transport mode at the border' (box 25)' 1', '3', '4', '7', '8' and '9'
can not be used
ELSE the attribute 'Transport mode at the border' (box 25)' = 'O' (no check)
(It should be noted that the last ELSE is to cover all the cases where the '
Specific circumstance indicator' is different from 'A', 'C' or 'D' (i.e. blank or 'E').)
- C514 IF the attribute is present
IF 'Transport mode at border' = '1' or '8'
THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification
number (format n7 - leading '0' allowed) or of the
European Vessel Identification Number (ENI) (format n8 - leading '0' allowed)
IF 'Transport mode at border' = '2'
THEN the attribute consists of the wagon number and has no format restrictions
IF 'Transport mode at border' = '3'
THEN the attribute consists of the registration plate number and has no format restrictions
ELSE no format restrictions
- C515 IF 'Transport mode at border' = '1', '4' or '8'
THEN the attribute = 'O'
ELSE the attribute can not be used
- C516 IF the attribute is present
IF 'Transport mode at border' = '1' or '8'
THEN the attribute consists either of the International Maritime Organisation (IMO) ship identification
number (format n7 - leading '0' allowed) or of the European Vessel Identification Number (ENI) (format n8 -
leading '0' allowed)
IF 'Transport mode at border' = '4'
THEN the attribute consists of the (IATA/ICAO) flight number and has format an..8:
-an..3: mandatory prefix identifying the airline/operator
-n..4: mandatory number of the flight
-a1: optional suffix
- C518 IF 'Transport mode at border' = '4'
THEN the attribute is 'R' and consists of the (IATA/ICAO) flight number and has format an..8:
-an..3: mandatory prefix identifying the airline/operator
-n..4: mandatory number of the flight
-a1: optional suffix
ELSE the attribute is 'O' and the format of the attribute has no restrictions
- C519 IIF 'Information type' is '1'
THEN the data group 'Risk Analysis' is = 'R'
ELSE the data group 'Risk Analysis' is = 'O'
- C520 IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION
REQUEST.Identification of the means of transport' (IE302) is used
THEN the data group can not be used
ELSE the data group is = 'R'
- C521 IF the attribute 'IMPORT OPERATION.MRN' is used
THEN the data group is 'O'
ELSE the data group can not be used
- C522 IF the data group 'CUSTOMS OFFICE of first Entry' is used
THEN the attribute 'Country code of Office of first Entry declared' can not be used
ELSE the attribute 'Country code of Office of first Entry declared' is = 'R'
- C523 IF the attribute 'DIVERSION REQUEST.Identification of the means of transport' (IE323) or 'DECLARATION
REQUEST.Identification of the means of transport' (IE302) is used
THEN the attribute is = 'R'
ELSE the attribute is 'O'
- C525 IF the attribute 'DECLARATION RESPONSE.Information type is '1' and the attribute 'DECLARATION
RESPONSE.Risk' is '0'
THEN the data group can not be used
ELSE the data group is = 'R'
- C527 IF the attribute 'IMPORT OPERATION.ENS Risk' is = '0'
THEN the attribute can not be used
ELSE the data group is = 'O'
- C529 IF 'Specific circumstance indicator = 'A'
THEN the attribute 'Transport mode at the border' (box 25)' 7' and '9' can not be used
IF 'Specific circumstance indicator = 'C'
THEN the attribute 'Transport mode at the border' (box 25)' 1', '2', '4', '7', '8' and '9' can not be used
IF of 'Specific circumstance indicator = 'D'
THEN the attribute 'Transport mode at the border' (box 25)' 1', '3', '4', '7', '8' and '9' can not be used
ELSE the attribute 'Transport mode at the border' (box 25)' = 'R' (any value)
- C540 IF 'IMPORT OPERATION.ENS Risk' = '0'
THEN the datagroup/attribute can not be used
ELSE the datagroup/attribute = 'R'
- C542 IF 'IMPORT OPERATION.ENS Risk' = '0'
THEN this data group/attribute can not be used
ELSE the datagroup/attribute = 'C' (the other conditions apply)
- C550 IF 'IMPORT OPERATION.ENS Risk' = '0'
THEN the datagroup/attribute can not be used
ELSE the datagroup/attribute = 'C' (the other conditions apply)

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- C552 IF 'PERSON Lodging the summary declaration' is used (because he is the sender of the amendment request)
THEN data group 'Trader Representative' can not be used
ELSE data group 'Trader Representative' = 'R' (because he is the sender of the amendment request).
- C562 IF 'Specific circumstance indicator is 'E'
THEN the attribute = 'R'
ELSE the attribute = 'O'
- C567 IF the attribute 'Specific circumstance indicator = 'A'
THEN the attribute 'Commercial Reference Number (box 7)', 'Commercial Reference Number (ex box 7)' and the datagroup 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
ELSE IF the attribute 'Commercial Reference Number (box 7)' and Commercial Reference Number (ex box 7)' is not used,
THEN at least one attribute 'PRODUCED DOCUMENTS/CERTIFICATES.Document type' pointing to a transport document must be present
ELSE the data group 'PRODUCED DOCUMENTS/CERTIFICATES' = 'O'
- C570 IF the attribute 'Specific circumstance indicator' = 'B'
THEN the data group is = 'O'
ELSE
IF the attribute 'Specific circumstance indicator' = 'A'
THEN the attribute must occur at least once (min. 1 value)
ELSE this attribute must occur at least twice (min. 2 values)
- C571 IF the attribute 'Item Number concerned' for at least one of the occurrences of the data group CUSTOMS INTERVENTION' is present
THEN the data group is = 'O'
ELSE the data group can not be used
- C574 IF the attribute 'Specific circumstance indicator' = 'A'
THEN
the attribute 'IMPORT OPERATION.Loading place' is = 'O'
the attribute 'GOODS ITEM.Loading place' can not be used
ELSE
IF the attribute 'IMPORT OPERATION.Loading place' is used
THEN the attribute 'GOODS ITEM.Loading place' can not be used
ELSE the attribute 'GOODS ITEM.Loading place' = R
- C576 IF the attribute 'EXPORT OPERATION/ IMPORT OPERATION / TRANSIT OPERATION.Transport charges – Method of payment' is used
THEN this attribute cannot be used
ELSE this attribute = 'O'
- C577 IF the attribute 'Specific circumstance indicator' = 'A' or 'B'
THEN this data group or attribute = 'O'
ELSE this data group or attribute = 'R'
- C579 IF the attribute 'Specific circumstance indicator' = 'B' or 'E'
THEN
IF the attribute 'IMPORT OPERATION.Unloading place' is used
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,
ELSE the attribute 'GOODS ITEM.Unloading place' = 'O'
ELSE
IF the attribute 'IMPORT OPERATION.Unloading place' is used
THEN the attribute 'GOODS ITEM.Unloading place' can not be used,
ELSE the attribute 'GOODS ITEM.Unloading place' = R
- C582 IF the data group 'PACKAGES' is used
THEN this attribute is = 'R'
ELSE this attribute can not be used
- C583 IF the attribute 'Additional information id' = '10600' is used for all GOODS ITEM data groups
THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' = 'O'
ELSE IF the attribute 'Additional information id' = '10600' is used for at least one GOODS ITEM
THEN the data group 'TRADER Consignee' cannot be used and the data group 'TRADER Notify Party' cannot be used
ELSE the data group 'TRADER Notify Party' cannot be used and the data group 'TRADER Consignee' = 'O'
- C584 IF the attribute 'Additional information id' = '10600' is used in this GOODS ITEM
THEN IF the data group 'TRADER Notify party' is used
THEN the data groups 'GOODS ITEM.TRADER.Notify party' and 'GOODS ITEM.TRADER Consignee' cannot be used
ELSE the data group 'GOODS ITEM.TRADER.Notify party' = 'R' and the data group 'GOODS ITEM.TRADER Consignee' cannot be used
ELSE IF the data group 'TRADER Consignee' is used
THEN the data groups 'GOODS ITEM.TRADER Consignee' and 'GOODS ITEM.TRADER.Notify party' cannot be used
ELSE the data group 'GOODS ITEM.TRADER Consignee' = 'R' and the data group 'GOODS ITEM.TRADER.Notify party' cannot be used
- C585 IF the attribute 'GOODS ITEM.Textual description' is used
THEN this data group is = 'O'
ELSE this data group is = 'R'
- C592 IF the attribute 'Specific circumstance indicator' = 'E'
THEN this attribute is = 'O'
ELSE
IF 'IMPORT OPERATION.Total gross mass is used
THEN this attribute is = 'O'
ELSE this attribute is = 'R'
- R005 "Item no" (box 32) is always used even if "Items" (box 5) = "1", "Item no" (box 32) is also "1".

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- R007 Each 'Item no' (box 32) is unique throughout the declaration The items shall be numbered in a sequential fashion, starting from '1' for the first item and incrementing the numbering by '1' for each following item".
- R021 A zero '0' is to be considered as a valid number in this field.
- R028 If the negative IE303 is generated for a declaration request IE302 including an MRN, the same MRN shall be included in IE303. In any other case the data element shall not be present.
- R030 The date has to be given in the format YYYYMMDD where:
 YYYY = Year
 MM = Month
 DD = Day
- R031 In case of air- sea and inland waterway transportation the IMPORT OPERATION.MRN may be replaced by following other data elements identifying the diverted/arriving means of transport:
 - the 'Identification of the means of transport' and
 - the 'Transport mode at border (box 25)' and
 - the 'Expected date of arrival'
- The 'Identification of the means of transport' shall - depending on the declared 'Transport mode at border (box 25) - correspond to following values :
- 1 and 8 (sea and inland waterway transport):
 - the International Maritime Organisation (IMO) ship identification number or
 - the European Vessel Identification Number (ENI),
 (both corresponding to IE315.IMPORT OPERATION.Identity crossing border (box 21)
 - 4 (air transport):
 - The (IATA/ICAO) flight number. For air transport, in situations where the operator of the aircraft transports goods under a code-share arrangement with partners, the code-share partners flight numbers should be used (corresponding to IE315.IMPORT OPERATION.Conveyance reference number)
- R033 The 'Declaration request number' shall be allocated by the Customs generating the declaration request. It shall be unique per Member State and shall be composed of:
 - 1-2 digit: country code of the Member State;
 - 3-22 digit: unique number per Member State.
- R034 The 'Diversion LRN' of the diversion request (IE323) shall be indicated (if the declaration request is generated based on a diversion request).
- R037 The 'Transport mode at border (box 25)' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.
 The 'Transport mode at border (box 25)' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R038 The 'Identification of the means of transport' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.
 The 'Identification of the means of transport' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R039 The 'Arrival date' of the diversion request (IE323) shall be indicated if the declaration response (IE303) is generated based on a diversion request.
 The 'Arrival date' of the declaration request (IE302) shall be indicated if the declaration response (IE303) is generated based on a declaration request.
- R040 The data group can be present if the declaration response (IE303) is generated based on a declaration request (IE302). If the declaration response (IE303) is generated based on a diversion request (IE323), the data group can not be used.
- R080 Only the SPECIAL MENTIONS that are marked as 'Common' in the reference data shall be included in common domain messages.
- R098 The values and the use of this attribute are documented in the Design Document for National Import/Export/Transit Applications (DDNIA, DDNXX and DDNTA).
- R105 The total number of packages is equal to the sum of all 'Number of packages' + all 'Number of pieces' + a value of '1' for each declared 'bulk'.
- R115 The IE structure used for the amendment is the same as E_DEC_DAT/E_EXP_DAT/E_EXS_DAT /E_ENS_DAT with some changes:
 replace LRN by MRN R an18,
 replace 'Declaration date' by 'Date of amendment' R n8, (NCTS /ECS)
 replace 'Declaration date and time' by 'Date and time of amendment' R n12 (ICS),
 replace 'Declaration place' by 'Amendment place' R an..35
 The IE transmits a complete amended declaration data, this means that all data groups and attributes are transmitted and not only those that are amended.
- R123 From the originally received IE, only the attributes in error are transmitted back to the Trader, indicating whether the attribute(s) in question is (are) missing or incorrect.
- R131 If two or more Offices of subsequent Entry belong to the same National Administration, then only one IE319 (C_ENS_SUB) is sent to the National Administration in question.
- R132 The data group 'RISK ANALYSIS' contains the consolidated risk analysis results from the Office of first Entry. Risk analysis results from the Office of Lodgement (if any) are transmitted, if it is part of the consolidation.

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- R133 Following data shall be forwarded:
- Case 1 (not applicable for ICS Phase 1): The full C_ENS_SND data including the relevant common safety and security risk analysis results. As relevant are to be regarded all occurrences of the data group 'RISK ANALYSIS' which include a 'Risk analysis result code' for which the last digit is 'A', 'B', 'C' or 'Z' (only these occurrences of the data group 'RISK ANALYSIS' are to be forwarded). In case 1 the attribute 'IMPORT OPERATION.Information type' is set to '2'.
 - Case 2: As long as ICS is restricted to the use of information type '1', case 2 shall be used in any case and shall consist:
 - A. Either of the full C_ENS_SND data if relevant common risk analysis results are present on the ENS header level (regardless of the availability of risk analysis results that are linked to ENS goods items). This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'Item Number (Box 32) involved' is not present and for which the last digit of the attribute 'RISK ANALYSIS.Risk analysis result code' is 'A', 'B', 'C' or 'Z'. Only the occurrences of the data group 'RISK ANALYSIS' which have a Risk analysis result code of type 'A', 'B', 'C' or 'Z' shall be sent.
 - B. Or, in any other case, of the full C_ENS_SND data but including only the goods items (possibly all of them) for which relevant common risk analysis results are present on ENS goods item level. This is the case where one or more occurrences of the data group 'RISK ANALYSIS' are available for which the attribute 'RISK ANALYSIS.Item Number (Box 32) involved' is present. In this case only these occurrences of the ENS goods items and those occurrences of the 'RISK ANALYSIS' data group for which the last digit of the 'Risk analysis result code' is 'A', 'B' or 'C' shall be sent. In case 2 the attribute 'IMPORT OPERATION.Information type' is set to '1'.
- Once information type '2' becomes applicable, cases 1 and 2B shall be used only (case 2A shall become case 1).
- R134 The data group/attribute shall not be used if the message is sent to the 'Person lodging the ENS'. If the message is sent to the 'Trader at Entry (Carrier)' and if the same data group/attribute is present in the ENS, then it shall be present.
- R136 The data group shall contain only the 'Document Type (Box 44)' which refers to transport documents.
- R147 The data group shall be used if the ENS to which the message refers to contains one or more 'Document Type (Box 44)' which refers to transport documents. All declared transport documents shall be included in the message.
- R148 The data in the IE corresponds always to the current (latest) version of the data. This means that it contains the amended declaration data (if any) and/or the revised declaration data after a control (if any).
- R221 Even if the IE is sent for one or more goods items of an ENS (but not for all of them), the following attributes shall contain the totals for the complete ENS (for all items declared in the ENS):
- Total number of items (box 5)
 - Total number of packages (box 6)
 - Total gross mass (box 35)
- R230 This attribute is used as a flag, its value can be either "0" ("no") or "1" ("yes").
- R232 "Variable Holiday Date" is used as a flag and can contain 2 possible values:
 '0': the holiday date is fixed and thus the year doesn't have to be specified (e.g. Christmas = 25 December
 '1': the holiday date is variable and therefore the year will need to be specified together with the date (e.g. Easter Monday)
- R410 The IE consist of top level data groups. Each top level data group has its own data group ACTION which attributes apply to the top level data group and its subsequent sub data groups.
 The sender of the IE will always (in case of Create, Update and Delete) send all values of the occurrence.
 The "Operation" attribute is used to indicate what action is applied to the occurrence in the IE. Its value can be: "C" (create), "U" (update), "D" (delete).
 The "Validity date" together with the attribute "Modification Subtype" allow the following mechanism:
 An occurrence becomes invalid as of the specified "Validity date" when the value of "Modification Subtype" is set to "0" (implies an implicit end date).
 An occurrence and all values of the attributes become valid as of the specified "Validity date" when the value of "Modification Subtype" is set to "1".
 The values of the attributes become applicable as of the "Validity date" when the value of "Modification Subtype" is set to "2" (this is when the value of the attribute(s) change).
- "C" (create) :
 The create operation is used to create a new occurrence of an entity;
 "U" (update):
 The update operation is used to change an existing occurrence. It can render an existing occurrence invalid or it can modify existing values of attribute(s) of an occurrence;
 "D" (delete):
 The delete operation is used to physically delete an occurrence. This operation must only be used when data has been created erroneously.
- R411 The 'Operation' attribute is used to indicate what action is applied:
 'C' (create), 'D' (delete).
 In case of "updates", the data group 'SYSTEM UNAVAILABILITY' to be updated will be first deleted and then (re)-created.
- R422 This attribute refers to the content of Column 2 in the UN/LOCODE. Column 2 shows the names of the locations (city names) which have been accepted for inclusion in UN/LOCODE, in accordance with the provisions of Recommendation n° 16 (see Rule 460).
- R425 The attribute "Season Code" is NOT used as a flag. It is possible to have up to 9 different "seasons" in a year, depending on a defined time period, which is completely covering the year-period.
- R430 The "Day in the week (end)" must be equal or greater then the "Day in the week (begin)".
- R445 The SENSITIVE GOODS CODE consists of two parts: the first part represents the HS6 six digit commodity code of the TARIC system, the second part represents the "Sensitive Goods Code" which is a two numeric digit code, to be defined by DG TAXUD.
 This two digit numeric "Sensitive Goods Code" is only used when the 6 digit HS6 code is not specific enough to identify the concerned goods (example: the codes "0405xx" and "2208xx" in the TARIC system cover both sensitive and non sensitive goods, or more than one sensitive good, and must be extended to 0405xx.01 and 2208xx.01 in order to uniquely identify the sensitive goods).
 These codes are used in the "List of Goods which when transported give rise to an increase in the Flat-rate Guarantee" (see proper domain).
- R456 For "Package Code" use the alphabetic two-digit UN-code going from "AE"= "aerosol" to "WB" = "Wickerbottle".

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- R460 This UN/LOCODE refers to the 3 digit alphabetical code of the second part of Column 1 in the UN/LOCODE - Code for Ports and other Locations . Column 1 shows in a first part the ISO 3166 alpha-2 Country Code, which is followed by a space and a 3-alpha code for the city (location) name: XX XXX. This combination is invariably identifying the "City Name". This UN/LOCODE city name is used as an attribute in the "CUSTOMS OFFICE LSD" entity.
- R486 This attribute can be used to indicate potential specific characteristics of the Customs Office, namely regarding variation of opening hours (e.g. during public holidays, etc.), operational and/or procedural restrictions (e.g. competent only for simplified procedures, competent only for certain goods, the only office authorised to accept flat-rate guarantees, etc.). This attribute will be coded by DG TAXUD after clear definition of the need of the NAs.
- R489 Reference Number Main Office is used to indicate the Customs Office (local) to which the Customs Office in question is subordinate. The use of this attribute is left up to the NAs.
- R490 Reference Number Higher Authority is used to indicate that the Customs Office in question has a higher authority. As a consequence this attribute becomes required when the Office in question has a higher authority.
- R495 Reference Number Take-over is used to indicate another Customs Office that replaces (take-over) the Customs Office in question when the latter is no longer able to perform NCTS operations.
- R500 At least 1 of the 4 attributes must be present.
- R501 Only corresponding values which are carried over from a previous message may be used.
- R660 The time has to be given in the format YYYYMMDDHHMM where:
 YYYY = Year
 MM = Month
 DD = Day
 HH = Hour
 MM = Minute
- R661 The 'Declaration registration date and time' is the date and time when the ENS is registered and the MRN is allocated. It corresponds to the 'Declaration registration date and time' communicated in IE328.
- R662 The 'Amendment acceptance date and time' is the date when the acceptance of an amendment request to an ENS is registered. It corresponds to the 'Amendment acceptance date and time' communicated in IE304.
- R666 The scheduled date/date and time of arrival of the means of transport at the declared first Office of Entry shall be provided. It shall be the local date and time of the first place of arrival.
- R670 The first two digits of the 'Place of loading' and 'Place of unloading' shall consist of the country code.
- R806 The data group is required if different from the data group 'PERSON Lodging the summary declaration'.
- R808 If some of the goods are destined to be transported to subsequent Offices of Entry, then this data group is required.
- R809 If the intervention/control notification is for one or some of the declared containers/identities crossing border (box 21)/transport documents, only those container numbers/ identities crossing border (box 21)/transport documents, shall be included in the message.
- R810 The attribute 'GOODS ITEM.Item number (Box 32) must match with the attribute 'Item Number concerned' of at least one of the occurrences of the data group 'CUSTOMS INTERVENTION'.
- R811 The 'Total number of items' is the total number of goods items sent in this message.
- R814 The Office to which the amendment request had been sent shall be used.
- R816 Only those occurrences of the data group shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B', 'C' or 'Z'.
- R818 The data group/attribute shall be included in the message, if it had been provided by the Trader in the corresponding received declaration.
- R820 If risk analysis has been performed for the requested MRN/MRN item number, only those occurrences of the data group 'RISK ANALYSIS' shall be included in the message for which the last digit of the attribute 'Risk Analysis result code' has one of the following values: 'A', 'B' or 'C'.
 If no risk analysis has been performed for the requested MRN / MRN item number, then the declaration response (IE303) shall include one occurrence of the data group 'RISK ANALYSIS'. The 'Risk Analysis result code' shall be 'Z'.
- R823 The United Nations Dangerous Goods Identifier (UNDG) is the unique serial number (n4) assigned within the United Nations to dangerous substances and articles. This element shall be provided where it is relevant.
- R824 The 'Item Number (box 32) involved' shall be indicated if the risk analysis result relates to an item of an Entry summary declaration (ICS), Exit summary declaration or Export declaration (ECS) or Transit declaration (NCTS). In any other case the attribute 'Item Number (box 32) involved' shall not be used.
- R826 For air cargo transported with other modes of transport than air, the other mode of transport shall be declared (e.g. for air cargo transported on road, the mode of transport '3' (road) shall be declared).
- R827 The 'Customs Office of Lodgement' shall be present if it is different from the 'Customs Office of first Entry' and not be present if it is the same as the 'Office of first Entry'.
- R828 Following rule shall be checked on the basis of the common reference data:
 If the Office of Lodgement is located in another Member State than the Office of first Entry (first 2 digits of the Customs Office.Reference number are different), then the Office of Lodgement shall only accept the ENS if both of following conditions are met:
 • The Member State in which the Office of Lodgement is located must accept to receive the ENS and to forward it to the Member State in which the Office of first Entry is located;
 • The Member State in which the Office of first Entry is located must accept to receive and process ENS that is forwarded by an Office of Lodgement in another Member State.
- R829 The data group 'Customs Office of Lodgement' shall not be present.
- R833 The data group 'Customs Office of Lodgement' shall be present if it is present in the ENS (IE315 or amendment IE313) to which the IE351 refers to.

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

R834	<p>This following check shall be performed if the AEO-Database in which the AEO certificate numbers are registered is available when performing the check:</p> <ul style="list-style-type: none"> The 'Specific circumstance indicator' with value 'E' (AEO) can be used only if the 'Person Lodging the ENS' and all 'Consignees' declared in the ENS have a valid AEO certificate of type 'AEOF' or 'AEOS'. If an amendment request (IE313) is concerned and if the amendment request is sent by a Representative, then the Representative shall have a valid AEO certificate of type 'AEOF' or 'AEOS' as well.
R835	If the Trader has a valid EORI Trader Identification number (TIN), then the TIN shall be declared. Other than EORI-TIN shall not be used.
R836	Following rule shall be checked on the basis of the Customs Office reference data: The Office of Lodgement to which the ENS is sent must be entitled to act as an Office of Lodgement.
R837	The EORI Trader Identification number (TIN) shall be declared.
R840	If the Trader has a valid EORI Trader Identification number (EORI-TIN) or a Third Country Unique Identification Number (TCUIN) which has been made available to the Union by the third country concerned then the EORI-TIN or TCUIN shall be declared. Other than EORI-TIN or TCUIN shall not be used, otherwise the declaration will be rejected.
R841	The value in the data group 'Representative' shall be equal to the 'Representative' identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R842	The 'CUSTOMS OFFICE of first Entry. Reference number' shall be an Office which is located in the same Member State as the one identified by the 'Person lodging the ENS' in the original (first) version of the ENS.
R843	The 'Conveyance Reference Number' is the identification of the journey of the means of transport (e.g. flight number, train number, voyage number, trip number).
R866	If the ENS is lodged by another party than the Carrier, then the transport document of the Carrier should be declared, if available.
R875	The attribute 'Item Number' refers to corresponding 'Item number' of the E_EXS_DAT (IE 615)/E_ENS_DAT (IE315)/E_EXP_DAT (IE515)/E_DEC_DAT (IE15).
R879	Exit: The country of final destination must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of original departure must be entered additionally. Entry: The country of original departure must be entered in any case. If the specific circumstance indicator is not equal to 'A', then at least the country of final destination must be entered additionally.
R881	If the attribute is used, its minimum length is 4 digits.
R886	No amendment allowed for 'PERSON lodging the summary declaration'. The 'CUSTOMS OFFICE of (first)Entry' must be located in the same Member State as the Office of first Entry declared in the Entry summary declaration.
R887	The 'Item number'/'Arrival item number'/'Pre-arrival item number' is the sequential number of the listed items in this message. It must be unique throughout the declaration.
R888	The item number as presented in the accepted (Entry) summary declaration with the same MRN has to be entered.
R891	The Local Reference Number (LRN)/Diversion LRN/Arrival LRN shall be a number/identifier allocated by the sending TRADER for a specific transaction (ENS, Arrival notification). It shall be unique per Trader sending the transaction.
R895	Only the Trader to whom the Office concerned is sending the advanced intervention notification (IE351) shall be used in the message.
R896	The data group 'TRADER Representative' can be used by the 'PERSON Lodging the entry summary declaration' to authorise a Representative to amend an Entry summary declaration on his behalf at the Office of first Entry concerned. If preventive/prohibitive measures are to be taken (IE351) or if controls at Entry are to be communicated to the trader prior to the arrival at Entry (IE351), the trader identified here, will be receiving the 'Advanced intervention notification' – IE351.
R897	The attribute shall refer to the item number of the requested Entry summary declaration.
R899	The country code is required to enable ICS to request the ENS data and the safety and security risk analysis results from the Office of first Entry declared in the ENS (e.g. in case of international diversion or where the forwarding of risk information failed for any reasons). It shall correspond to the first and second digit of the 'Customs Office of first Entry' declared in the Entry summary declaration.
TR0022	In case the value of a MESSAGE.GOODS ITEM.PACKAGES.Number of Packages is '0' then there should exist at least one GOODS ITEM with the same 'Marks and Numbers of Packages', and 'Number of Packages' with value greater than '0'.
TR0099	This data item must be entered if the message is encoded in EDIFACT and the corresponding free text field is not in the UNOC character set. It is otherwise optional. If the data item is filled in, it must contain the language code of the language used in the corresponding free text field.
TR0101	This field is to be validated against Codelist 39 (Additional information coded codes) if used in a Common Domain message. This field is to be validated against the Additional information coded valid in the NA if used in an External Domain message.
TR0103	This field is to be validated against Codelist 13 (Document Type) if used in a Common Domain message. This field is to be validated against the Document Type valid in the NA if used in an External Domain message.
TR0104	Document/reference number is not needed for IE906 related to IE111, IE112, IE411, IE30, IE31, IE32, IE34, IE37, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971 and also for IE302 and IE303 when no Document/Reference number is provided. It must be present in IE906 related to all other messages.
TR0105	The value of the "Downtime FROM" in the MESSAGE - COUNTRY - SYSTEM UNAVAILABILITY Data Group must be within the time range ["Time FROM", "Time TO"] specified in the MESSAGE - COUNTRY - UNAVAILABILITY MATRIX Data Group.
TR0107	This time cannot be in the past.
TR0200	This data group or item is Required when NTA/NECA sends AAR/AER/ATR/EXS in response to the request; otherwise not used.

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

TR0201	This data group or item is Optional/Dependent when NTA/NECA/NICA sends AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0202	This data item is Required when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0203	This data item is Optional/Dependent when NTA/NECA/NICA does not send AAR/AER/ATR/EXS/ENS in response to the request; otherwise not used.
TR0403	The maximum time period covered by the seasons is one year. There must be no overlap of seasons, meaning that the starting day of one season must not be before the finishing day of any other season.
TR0700	Values of field 'type' must be identical throughout the message (i.e.: same value in all the repetitions of the "System Unavailability" group).
TR0702	Note that the IE71 is a replica of the IE70 and so the same conditions and rules can be applied. In case of unscheduled unavailability the 'down time to' of the IE70 is optional. For the purpose of consolidation, IE70 with Type 'U' or 'N' that have no value for 'downtime to' are considered as being ongoing. This means that when a IE70 is received by the system with an empty 'down time to'-field, the timer will keep on running until a new IE70 is received containing a filled in 'down time to'-field.
TR0703	Within a single "SYSTEM UNAVAILABILITY" data-group, the "Downtime from" must be prior to the "Downtime to".
TR0704	The conjunction of the following data items uniquely identifies a system unavailability: - COUNTRY.Country code - SYSTEM UNAVAILABILITY.Business functionality - SYSTEM UNAVAILABILITY.Downtime from - SYSTEM UNAVAILABILITY.Type
TR0811	The data item 'Total number of items' has to be equal to the total occurrences of the data group 'GOODS ITEM'.
TR1002	This data group is applicable to NCTS Phase 4 only.
TR1003	This data group is applicable to ECS Phase 2 only.
TR1005	This data group is applicable to EORI-AEO only.
TR1006	This data group/ item is applicable to ICS Phase 1 only.
TR1007	The HEADER data group is not needed for IE917 related to IE30, IE31, IE32, IE912, IE913, IE914, IE916, IE931, IE932, IE70, IE71, IE971. It must be present in IE917 related to all other messages.
TR1012	This data group is applicable to ECS Phase 2 and NCTS Phase 4 only.
TR1013	This Data group is applicable to ECS Phase 2 and ICS Phase only.
TR1015	This data group is applicable to ECS Phase 2, NCTS Phase 4 and ICS Phase 1 only.
TR9001	The content and the format of the ACTION.Action identification attribute is free to be chosen by the producer of the message. The content must be unique in the context of the enclosing Original message identification.
TR9002	IF "MESSAGE.COUNTRY.ACTION.Operation" = "C", "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.System unavailability type" = "N" AND "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Business functionality" = "V" or "S" THEN the date in "MESSAGE.COUNTRY.SYSTEM UNAVAILABILITY.Downtime from" shall be at least 6 weeks after "MESSAGE.Date of preparation".
TR9006	The UPL RESPONSE.Original message identification is equal to the Interchange control reference of the corresponding IE30 transmitted.
TR9007	The value of this attribute can be: "OK", "REJECTED", "ERRORS" or "NOAUTH".
TR9009	The value of the UPL ERROR.Action identification is equal to the Action identification of the corresponding transmission.
TR9010	The attribute path is a hierarchical path from the root of the modifying occurrence down to the attribute in the message using indexed data group names and attribute names.
TR9020	The values of a date and time attribute must be specified by NAs using GMT time reference.
TR9025	Only System Unavailability Type "S" is acceptable for this field in the IE912 message.
TR9080	Within the "HEADER" data-group, the "Period from date" must be prior or equal to the "Period to date".
TR9085	In Normal Mode of Operation if this field is used it must have a value of 0.
TR9099	Within the "HEADER" data-group, one (or more) of the contained fields must be present.
TR9110	The value of this attribute shall be '1' in case an extraction is requested. If it is not used a retrieval will be requested.
TR9115	In case that an extraction is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences valid in the specified period. On the contrary, in case retrieval is requested, the 'Period from date' and/or the 'Period to date' fields will be used to request occurrences modified and published in the specified period.
TR9160	Reference Number Competent Authority for Enquiry is used to indicate that the Customs Office in question has a Competent Authority of Enquiry for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Enquiry.
TR9170	Reference Number Competent Authority for Recovery is used to indicate that the Customs Office in question has a Competent Authority of Recovery for the NCTS P4. As a consequence this attribute becomes required when the Office in question has a Competent Authority of Recovery.
TR9175	The last digit, which is used to identify the type of risk, shall be validated against codelist "Risk analysis result code".
TR9181	The field is Required for response and rejection messages. It does not apply for requests and one way messages.
TR9190	This field is domain specific and it includes the numeric values 1 for NCTS, 2 for ECS or 3 for ICS.
TR9200	IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0" THEN the "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Validity date" shall be at least 15 days after the "MESSAGE.Date of preparation".

DDNIA for ICS P1. Version 11.00	ALIGNED TO DDNA KEL 0.27
REF:CUST-DEV2-SC16-DDNIA_APP_Q2	
Appendix Q2: Technical Message Structure	
5. Rules/Conditions index	

- TR9201 IF "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Operation" = "U" AND "MESSAGE.CUSTOMS OFFICE INFORMATION.ACTION.Modification subtype" = "0"
THEN "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "R"
ELSE "MESSAGE.CUSTOMS OFFICE INFORMATION.Reference number take-over" = "O"
- TR9205 The "ENTRY KEY" data group shall be used only when the rejected messages are the IE302 and the IE303, and the Entry Key is present in these messages. Otherwise, the "Document/reference number" shall be used at the "HEADER" data group. For IE302 and IE303, the first MRN will be used (if the "ENTRY KEY" is not used). The "Document/reference number" data item and the "ENTRY KEY" data group cannot be used at the same time.
- TR9250 The field can accept any printable character with ASCII value 32-126 or 160-255 of UNOC: Latin-1 ISO 8859-1, UNOD: Latin-2 ISO 8859-2 (Central Europe), UNOH: Latin-4 ISO 8859-4, UNOE: Latin-5 ISO 8859-5 or UNOK: Turkish ISO 8859-9, or with ASCII value 32-126 or 160-254 (except 174 and 210) of UNOF: Greek ISO 8859-7. Any other character must be transliterated to one of the aforementioned character set.